

Thanks to those who donated seed for the exchange this year, without whose participation this program would not be possible, and whose initials in the list below indicate their expressed willingness to be contacted about the plants and conditions under which they grow: Alan Brubaker (AB), Mona Brauer (MB), Barrie & Carol Coate (BCC), Ann DeRosa (ADR), Bobbi Feyerabend (BF), Wallace Gorell (WG), Ed Holm (EH), Bob Hornback (BH), Ginny Hunt – Seedhunt (GH), Mary Sue Ittner (MSI), Ron Lutsko (RL), Daisy Mah (DM\*), Don Mahoney (DM#), Katherine Pyle (KP), Corina Rieder (CR), Josh Schechtel (JS), SF Botanical Garden at Strybing Arboretum (SF), Richard Starkeson (RS), UCSC Botanical Garden (UCSC), Patricia Van Aggelen (PVA), Kristin Yanker-Hansen (KYH) and those whose donations remain anonymous. Nomenclature and descriptions are those given by the donors.

1. *Acer pentaphyllum* (BH): rare Chinese maple to 30', seed collected at Western Hills Nursery
2. *Aconitum delphinifolium* (RL): wild-collected at Homer AK
3. *Aeonium* sp. (WG): diminutive
4. *Aesculus pavia* (BCC)
5. *Agapanthus* cv. (WG): dark blue, possibly 'Storm Cloud'
6. *Agastache* 'Blue Fortune' (WG)
7. *Agave colorata* (BCC)
8. *Albuca* sp. (BF): bulbous perennial to 5', hanging flowers cream with green stripes, moderate irrigation & well-drained soil, sun to part shade, hardy to 25° F
9. *Allium flavum* (CR): 6"; yellow flowers
10. *Allium senescens* ssp. *montanum* var. *glaucum* (KP): flowers pink, leaves blue-gray and curly, semi-evergreen
11. *Allium senescens* ssp. *montanum* (KP): flowers pink, leaves narrow & light green, semi-evergreen
12. *Allium subvillosum* (MSI): Mediterranean bulb, white flowers
13. *Allium turcomanicum* (?) (KP): flowers pink, leaves upright to 8", evergreen
14. *Allium unifolium* (MSI): California native, pink flowers
15. *Aloe prinslooii* (WG): open cross
16. *Aloe striata* (DM#)
17. *Anemone multifida* 'Rubra' (CR): to 2', pink flowers
18. *Angelica gigas* (DM\*)
19. *Angelica pachycarpa* (WG & KYH): very architectural shiny leaves, dies after blooming, reseeds in many places if happy
20. *Antirrhinum braun-blanquetii* (CR): to 1.5', yellow flowers
21. *Arisaema consanguinea* (SF)
22. *Aristolochia californica* (DM\*)
23. *Asclepias incarnata* (DM\*): milkweed to 4' with pink flowers, wants moist conditions
24. *Asimina triloba* (AB): Pawpaw, custard-like fruit
25. *Asparagus asparagoides* (KYH): Bridal Asparagus, commonly used in bridal bouquets, very long vine-like tendrils and quite broad leaves unlike many asparagus, occasionally reseeds
26. *Aster chilensis* (CR): to 3', blue-violet flowers
27. *Aster divaricatus* (BF): perennial, prostrate habit, small white flowers in late summer; cut back to basal foliage in winter, part shade, regular water
28. *Astrantia major* (?AB): white flowers
29. *Atriplex hymenyletra* (RL): wild-collected in Inyo County
30. *Aulax cancellata* (UCSC): proteaceous shrub, dimorphic male and female
31. *Bartletina sordida* (WG): giant ageratum
32. *XBeschorneria* (WG): open cross between two Martin Grantham hybrids
33. *XBomarea* (RS): leaves about 5" long by 2" wide, stem thicker than other *Bomareas*, 1" pods of large bright red berries, germinates 60-90 days after sowing
34. *Bouteloua gracilis* (CR): to 2', beige
35. *Brodiaea elegans* (MSI): California native bulb
36. *Bryophyllum pinatum* 'Siempre Viva' (WG)
37. *Bulbinella ruscifolia* (KYH): winter-growing perennial, fabulous February drumsticks of fragrant cuttable flowers with stems to 18", combine with *Hardenbergia* in vases for Mardi Gras, grows either in watered or dry garden
38. *Bulbinella semibarbata* (KYH): succulent annual, germinates in fall, provides foliage all winter, blooming airy flowers in spring, [http://www.rareplants.de/shop/product.asp?P\\_ID=5704](http://www.rareplants.de/shop/product.asp?P_ID=5704)
39. *Bupleurum fruticosum* (WG)
40. *Calamagrostis foliosa* (RL): wild-collected at Moraga CA
41. *Calandrinia* sp. (WG): magenta flowers all summer
42. *Callirhoe bushii* (KYH): mallow native to American prairies, survives by interweaving well with later perennials shading it out, beautiful early fuchsia-red blooms starting in February & continuing all summer
43. *Calochortus argillosus* (MSI): open-pollinated, increases vegetatively

44. *Calochortus luteus* (DM#)
45. *Calochortus umbellatus* (MSI): California native bulb
46. X*Calochortus* (MSI): Mariposa Lily, many in bloom at the same time, open-pollinated
47. *Calycanthus occidentalis* (EH): second generation seed from plant collected wild in San Mateo County
48. *Caryopteris incana* (WG): easy
49. *Cassia odorata* (GH): prostrate form
50. *Cerinthe major* 'Purpurascens' (KYH): the must-have plant several years ago, on the cover of Thompson & Morgan's, germinates late summer, blooms in spring and into summer; can become invasive
51. XC*Cineraria* (BF): to 3', old-fashioned type, flowers of various blues
52. *Clarkia bottae* (DM\*)
53. *Clarkia concinna* (DM\*): Red Ribbons, California native annual, pink flowers with graceful lobed petals
54. *Clarkia rubicunda* (DM#)
55. *Clematis lasianthus* or *ligusticifolia* (KYH): California native, blooms beautifully in early summer followed by ornamental seedheads that will yield seedlings in the garden
56. *Crocasmia* 'Lucifer' (WG)
57. XC*Crocasmia* (WG): yellow flowers, possibly 'Jenny Bloom'
58. XC*Cyrtanthus* (MSI): seed collected from plants arising from a *C. elatus* X *montanus* cross
59. *Dahlia coccinea* (WG): RHS red 45A, seedlings will vary
60. *Davidia involucrata* (BCC): stratify three months
61. *Deschampsia cespitosa* (CR): to 2'
62. *Dianthus caryophyllus* cv (WG): carnation with dark red flowers, blue-green leaves
63. *Dierama pulcherrima* (ADR): Angels' Fishing Rod, pink flowers, reseeds
64. *Digitalis ferruginea* (WG)
65. *Dolichos lignosus* (JS): Australian pea vine
66. *Drachelocephalum arguense* 'Fuji Blue' (BF)
67. *Dudleya* sp. (WG)
68. XDyckia (KYH): beautiful relatively low-growing succulent, orange flowers in summer; green-leafed form
69. XDyckia (KYH): seeds from the blackest-leafed form I have yet found
70. *Echium gentianoides* 'Tajinaste' (DM#)
71. *Ennealophus euryandrus* (CR): to 1', blue
72. *Eriogonum inflatum* (RL): beautiful yellow form, wild-collected at Owens Lake CA
73. *Eriogonum wrightii* (DM\*)
74. *Erodium pelargonifolium* (KYH): annual or short-lived perennial, gently reseeds, likes cracks in walkways or settles at garden's edge
75. *Eryngium agavefolium* (WG)
76. *Erythronium californicum* (MSI): California native bulb, original seed North Coast
77. *Erythronium helenae* (MSI): reliable bloomer in coastal Northern California
78. *Festuca californica* (CR): to 3'
79. *Festuca californica* (RL): silver-blue form
80. *Freesia laxa* (EH): small bulb, easy, flowers pink with red spots
81. *Freesia laxa* (BF): small bulb, easy, flowers white with red spots
82. *Freesia viridis* (GH)
83. *Fritillaria camschatcensis* (RL): wild-collected at Homer AK
84. *Gladiolus caeruleus* (DM#)
85. *Gladiolus cardinalis* (DM#)
86. *Gladiolus oppositiflorus* ssp. *salmoneus* (GH)
87. *Habranthus robustus* (EH): fall-blooming bulb for pot or garden
88. *Halesia carolina* (AB): Silver Bells
89. *Helictotrichon sempervirens* (WG): Blue Oat Grass
90. *Helleborus foetidus* (RL): narrowly dissected leaf
91. *Hesperaloe parviflora* (AB): red flowers
92. *Hesperoyucca* (aka *Yucca whipplei*) (RL): wild-collected in San Gabriel Mountains CA
93. *Heteropteris chrysophylla*: malpighiaceae vine, yellow flowers followed by red-winged seeds
94. X*Homeria* (KYH): bulb, flowers probably orange but may be yellow, sporadically reseeds
95. *Hymenoxys hoopesii* (CR): to 3', yellow
96. X*Iris* (WG): Siberian, violet flowers
97. *Kalanchoe* sp. (WG): to 8", magenta flowers
98. *Kniphofia* 'Christmas Cheer'
99. *Lachenalia orthopetala* (DM#)
100. *Lachenalia rosea* (DM#): blue flowers
101. *Lachenalia unicolor* (DM#)
102. *Lagurus ovatus* (PVA): Bunny Tails, annual grass with fluffy seed heads
103. *Lathyrus jepsonii californicus* (EH): perennial sweet pea, collected in Plumas County
104. *Lepechinia chamaedryoides* (SF)
105. *Lepechinia scheideana* (CR): 6", blue flowers
106. *Ligularia* 'Desdemona' (WG)
107. *Lilium* sp. (AB): to 7', flowers orange and spotted
108. *Limonium minutum* (DM\*)
109. *Littonia modesta*: vine appears yearly mid to late spring, climbs by tendrils at leaf tips that are in whorls of four, 1" orange campanulate flowers, withers and disappears for the season after seed is ripe, withstands repeat winter watering while dormant
110. *Lomatium californicum* (RL): wild-collected in Napa County
111. *Lomatium* sp. (RL): dissected leaves, wild-collected in Lake County
112. XL*Lupinus* (AB): Russell hybrids
113. *Lychnis coronaria* (WG): easy
114. *Lycopersicon esculentum* 'Amish Paste' (EH): heritage tomato, sweeter and larger than Roma with fewer seeds

115. *Lycopersicon esculentum* 'Black Krim' (EH): heritage tomato, outstanding flavor, dark brown-red flesh, tends to crack if not enough water, open pollinated, indeterminate
116. *Lycopersicon esculentum* 'Bloody Butcher' (EH): heritage tomato, juicy red flesh, medium size, open pollinated, indeterminate, very rare
117. *Lycopersicon esculentum* 'Cherokee Purple' (EH): heritage tomato, like 'Black Krim' but less prone to cracking, open pollinated, indeterminate
118. *Lycopersicon esculentum* 'Costoluto Fiorentino' (EH): heritage tomato, not so ugly as Genovese, up to half pound, high in sugar and acid, outstanding taste, open pollinated, indeterminate
119. *Lycopersicon esculentum* 'Costoluto Genovese' (EH): heritage tomato, large meaty ugly red paste tomato, excellent flavor, good in hot or cool weather, open pollinated, indeterminate
120. *Lycopersicon esculentum* 'Early Wonder' (EH): heritage tomato, compact, dark pink, good flavor, very early, perfect for short-season areas, open pollinated, determinate
121. *Lycopersicon esculentum* 'German Pink' (EH): heritage tomato, sweet flavor, deep pink beefsteak up to one pound, meaty, few seeds, early season
122. *Lycopersicon esculentum* 'Glacier' (EH): heritage tomato, good flavor, very early season, sets fruit well in cold weather, open pollinated, determinate
123. *Lycopersicon esculentum* 'Lilac Giant' (EH): heritage tomato, large flavorful fruit, unusual color, open pollinated, indeterminate
124. *Lycopersicon esculentum* 'Marvel Stripe' (EH): heritage tomato, sweet fruity taste, fruit yellow-orange streaked with red, one pound or more, open pollinated, indeterminate
125. *Lycopersicon esculentum* 'Yellow Pear' (EH): heritage tomato, bears until December, eat by handfuls
126. X*Malva* (KYH): collection from crosses between *Malva* 'Bibor Felho' and *M. zebrina*, flowers of varied color from picotee pink to bluish purple along with *zebrina* variations, occasional throwbacks of 'Bibor Felho', lasts full season in dry garden, stopping bloom as weather turns hot & starting again when temperatures cool down, thrives with water, can survive up to three years
127. *Mathiola* sp. (DM\*): Mediterranean subshrub, fragrant magenta-purple flowers, blue-green leaves, short-lived
128. *Melanoselinum decipiens* (GH)
129. *Melica californica* (CR): to 3'
130. *Melinis nerviglumis* (MB): Ruby Grass, plants originally from Annie's, best to wait until late spring to sow
131. *Montanoa leucantha* ssp. *arborescens* (DM#)
132. *Muscari neglectum* (KP): dark blue flowers, best in rock gardens
133. *Muscari* 'Valeri Finnes' (KP): light blue flowers, snails love foliage and ignore flowers.
134. *Nepeta tuberosa* (GH)
135. *Nicotiana sylvestris* (WG)
136. *Omphalodes linifolia* (DM\*)
137. *Ornithogalum thyrsoides* (MSI): South African bulb
138. *Papaver somniferum* (WG): single flowers mauve to burgundy
139. *Papaver* sp. (DM\*): Greek Poppy, flowers to 2.5", petals red with black splotch at base
140. *Passiflora antioquiensis* (SF)
141. *Passiflora exoniensis* X *paritae* (SF): F<sub>2</sub> generation
142. *Penstemon campanulatus* (CR): to 2', pink flowers
143. *Penstemon eatonii* (SF)
144. *Penstemon hirsutis* (CR): to 2', flowers light violet with white
145. X*Phaseolus* (EH): 'French Filet' heritage pole bean, long, slender, stringless, outstanding flavor
146. *Phyteuma orbiculare* (CR): to 1', blue flowers
147. *Phyteuma scheuchzeri* (CR): to 1.5', blue flowers
148. *Phyteuma serratum* (CR): to 1', blue flowers
149. *Pinus jeffreyi* (EH): wild-collected at 4000' in Plumas County, stratify three months
150. *Rheum rhabarbarum* (KYH): rhubarb, delicious stems, quite vigorous plant
151. *Ricinus communis* 'Carmencita' (WG)
152. *Romanzoffia californica* (GH)
153. *Romulea* sp. : pink flower
154. *Rudbeckia triloba*
155. *Salvia disermas* (GH): white flower
156. *Salvia gesnerifolia* (DM#): hardy to 20° F
157. *Salvia guaranitica* (DM#)
158. *Salvia involucrata* (DM#)
159. *Salvia jurisicii* (CR): to 1', violet flowers
160. *Salvia karwinskii* (JS): to 12', winter bloom
161. *Salvia sclarea*
162. *Scilla peruviana* (BF): summer dormant bulb, blue flower, tolerates clay soils, naturalizes
163. *Sedum* sp. (WG)
164. *Senecio microspermis* (WG)
165. *Senecio petasites* (WG)
166. *Silene vulgaris* (KP): sculpit or stridolo, long bloom season, airy mass of flower-topped stems to 2', leaves eaten raw or cooked, more information at [www.maltawildplants.com/CRYO/Silene\\_vulgaris.php](http://www.maltawildplants.com/CRYO/Silene_vulgaris.php), seed-package picture and info at [www.underwoodgardens.com/Sculpits/productinfo/H1046/](http://www.underwoodgardens.com/Sculpits/productinfo/H1046/), Plants For A Future database entry at <http://www.pfaf.org/database/plants.php?Silene+vulgaris>
167. X*Sparaxis* (MSI): will produce variety of interesting color and marking combinations; usually will bloom in second year, fairly quick for a corm from seed
168. *Sphaeralcea ambigua* (RL): wild-collected at Panamint Mountain CA
169. *Stanleya* sp. (AB): yellow flowers, nice accent plant

170. *Tecoma X alata*: shrub to 10' broad and tall, orange flowers in clusters
171. *Tecoma stans* (RL): wild-collected in Chisos Mountains TX
172. *Thalictrum rochebrunianum* (?KP): flowers lavender or white on stalks to 6', ferny foliage
173. *Toxicoscordion fremontii* (aka *Zigadenus fremontii*) (MSI): handsome bulb native to coastal Northern California, some toxicity
174. *Triteleia bridgesii* (MSI): California native bulb
175. *Triteleia dudleyi* (MSI): small yellow flowers
176. *Triteleia hyacinthina* (MSI): California native bulb
177. *Triteleia laxa* (DM#)
178. *Triteleia laxa* (MSI): seed from a low-growing North Coast form; flowers dark blue
179. *Tweedia caerulea* (aka *Oxypetalum caeruleum*) (PVA): milkweed family, sky-blue flowers followed by upright seed pods
180. *Veltheimia bracteata* (MSI): South African bulb, although from a summer rainfall area can be grown successfully in a pot in part shade when sheltered from the elements in rainy areas and allowed to dry out in summer; wonderful shiny leaves and tall pink flowers
181. *Watsonia coccinea* (DM#): orange flowers
182. *Watsonia* sp. : orange flowers
183. *Yucca brevifolia* (RL): wild-collected at Inyokern CA
184. *Zinnia* 'State Fair' (WG)
185. mystery composite (RL): shrublet, yellow daisy flowers, silver leaves, wild-collected in Inyo County